
References

REFERENCES

- American College of Sports Medicine. (1998). Position stand: The recommended quantity and quality of exercise for developing and maintaining cardiorespiratory and muscular fitness, and flexibility in healthy adults. *Medicine and Science in Sports and Exercise*, 30 (6), 975-991.
- Armstrong, N., Williams, J., Balding, J., Gentle, P., & Kirby, B. (1991). Cardiopulmonary fitness, physical activity patterns, and selected coronary risk factor variables in 11- to 16-year olds. *Pediatric Exercise Science*, 3, 219-228.
- Beveridge, S., & Scruggs, P. (2000). TLC for better PE: Girls and elementary physical education. *JOPERD: The Journal of Physical Education, Recreation and Dance*, 71 (8), 22-27.
- Boreham, C.A., Twisk, J., Savage, M.K., Cran, G.W., & Strain, J.J. (1997). Physical activity, sports participation, and risk factors in adolescents. *Medicine and Science in Sports and Exercise*, 29, 788-793.
- Boreham, C., & Riddoch, C. (2001). The physical activity, fitness and health of children. *Journal of Sports Sciences*, 19, 915-929.
- Bouchard, C. (2001). Physical activity and health: Introduction to the dose-response symposium. *Medicine and Science in Sports and Exercise*, 33 (6), S347-S350.
- Bouchard, C., & Rankinen, T. (2001). Individual differences in response to regular physical activity. *Medicine and Science in Sports and Exercise*, 33 (6), S446-S451.
- Bouchard, C., & Shephard, R.J. (1994). Physical activity, fitness and health: The model and key concepts. In C. Bouchard, R.J. Shephard, & T. Stephens (eds.), *Physical activity, fitness and health: International proceedings and consensus statement* (pp. 11-20). Champaign, IL: Human Kinetics Publishers.
- Cardinal, B.J. (2001). Role modeling attitudes and physical activity and fitness promoting behaviors of HPERD professionals and preprofessionals. *Research Quarterly for Exercise and Sport*, 72 (1), 84-90.
- Chad, K.E., Humbert, M.L., & Jackson, P.L. (1999). The effectiveness of the Canadian quality daily physical education program on school physical education. *Research Quarterly for Exercise and Sport*, 70 (1), 55-64.
- Condon, R., & Collier, C.S. (2002). Student choice makes a difference in physical education. *JOPERD: The Journal of Physical Education, Recreation and Dance*, 73 (2), 26.

- The Cooper Institute for Aerobics Research. (1999). *FITNESSGRAM® 6.0. test kit* (2nd ed.). Champaign, IL: Human Kinetics Publishers.
- Corbin, C.B. (2002). Physical activity for everyone: What every educator should know about promoting lifelong physical activity. *Journal of Teaching in Physical Education, 21* (2), 128-144.
- Corbin, C.B., Dale, D., & Pangrazi, R.P. (1999). Promoting physically active lifestyles among youths. *JOPERD: The Journal of Physical Education, Recreation and Dance, 70* (6), 26-28.
- Corbin, C.B., & Pangrazi, R.P. (1998). *Physical activity for children: A statement of guidelines*. Reston, VA: National Association for Sport and Physical Education (NASPE) Publications.
- Corbin C.B., Pangrazi R.P., & Welk, G.J. (1994). Toward an understanding of appropriate physical activity levels for youth. *President's Council on Physical Fitness and Sport Research Digest, 1* (8).
- Cureton, K.J., Sloniger, M.A., O'Bannon, J.P., Black, D.M., & McCormack, W.P. (1995). A generalized equation for prediction of VO₂ peak from 1-mile run/walk performance. *Medicine and Science in Sports and Exercise, 27* (3), 445-451.
- Dale, D., & Corbin, C.B. (2000). Physical activity participation of high school graduates following exposure to conceptual or traditional physical education. *Research Quarterly for Exercise and Sport, 71* (1), 61-68.
- Darst, P.W., van der Mars, H., & Cusimano, B.E. (1998). Using novel and challenging introductory activities and fitness routines to emphasize regular activity and fitness objectives in middle school physical education. *Physical Educator, 55* (4), 199-210.
- Ekelund, U., Poortvliet, E., Nilsson A., Yngve, A., Holmberg, A., & Sjostrom, M. (2001). Physical activity in relation to aerobic fitness and body fat in 14- to 15-year-old boys and girls. *European Journal of Applied Physiology, 85*, 195-201.
- Gannon, G., Halas, J., Ng, C. & Chuchmach, L. (2002). *Review of the literature on best practices related to fitness development*. (HLHPRI 102). Winnipeg, MB: Health, Leisure and Human Performance Research Institute, University of Manitoba.
- Graham, G. (2001). *Teaching children physical education: Becoming a master teacher* (2nd ed.). Champaign, IL: Human Kinetics.
- Hopple, C., & Graham, G. (1995). What children think, feel, and know about physical fitness testing. *Journal of Teaching in Physical Education, 14* (4), 408-417.

- Howley, E.T., & Franks, B.D. (2003). *Health fitness instructor's handbook* (4th ed.). Champaign, IL: Human Kinetics Publishers.
- Humphries, C., & Ashy, M. (2000). The games students play: Selecting and teaching activities. *JOPERD: The Journal of Physical Education, Recreation and Dance*, 71 (4), 13-14.
- Humphries, C., Lovdahl, P., & Ashy, M. (2002). Elementary physical education and the national standards. *JOPERD: The Journal of Physical Education, Recreation and Dance*, 73 (5), 42-45.
- Janzen, H., Halas, J., Dixon, S., Kriellaars, D. & Doupe, M. (2002). *The quantity and quality of physical education in Manitoba schools: Final report*. (HLHPRI 101). Winnipeg, MB: Health, Leisure and Human Performance Research Institute, University of Manitoba.
- Jones, M.A., Hitchen, P.J., & Stratton, G. (2000). The importance of considering biological maturity when assessing physical fitness measures in girls and boys aged 10 to 16 years. *Annals of Human Biology*, 27 (1), 57-65.
- Katzmarzyk, P.T., Malina, R.M., Song, T.M.K., & Bouchard, C. (1998). Physical activity and health-related fitness in youth: A multi-variate analysis. *Medicine and Science in Sports and Exercise*, 30, 709-714.
- Kesaniemi, Y.A., Danforth, E., Jensen, M.D., Kopelman, P.G., Lefebvre, P., & Reeder, B.A. (2001). Dose-response issues concerning physical activity and health: An evidence-based symposium. *Medicine and Science in Sports and Exercise*, 33 (6), S351-S358.
- Kline, G.M., Porcari, J.P., Hintermeister, R., Freedson, P.S., Ward, A., McCarron, R.F., Ross, J., & Rippe, J.M. (1987). Estimation of VO₂ max from a one-mile track walk, gender, age, and body weight. *Medicine and Science in Sports and Exercise*, 19 (3), 253-259.
- Léger, L.A., Mercier, D., Gadoury, C., & Lambert, J. (1988, Summer). The multistage 20 metre shuttle run test for aerobic fitness. *Journal of Sports Sciences*, 6 (2), 93-101.
- Malina, R.M. (1990). Physical activity: Relationship to growth, maturation, and physical fitness. In C. Bouchard, R.J. Shephard, T. Stephens, J.R. Sutton, & B.D. McPherson (eds.), *Exercise, fitness and health: A consensus of current knowledge* (pp. 918-930). Champaign, IL: Human Kinetics Publishers.
- Manitoba Education and Training. (1998). *Individual education planning: A handbook for developing and implementing IEPs, Early to Senior Years*. Winnipeg, MB: Manitoba Education and Training.
- . (2000). *Kindergarten to Senior 4 physical education/health education: Manitoba curriculum framework of outcomes for active healthy lifestyles*. Winnipeg, MB: Manitoba Education and Training.

- . *Manitoba schools fitness*. (1989). Winnipeg, MB: Manitoba Education and Training.
- . (1996). *Success for all learners: A handbook on differentiating instruction: A resource for Kindergarten to Senior 4 schools*. Winnipeg, MB: Manitoba Education and Training.
- Manitoba Education and Youth. (2002). *Grades 5 to 8 physical education/health education: A foundation for implementation*. Winnipeg, MB: Manitoba Education and Youth.
- Manitoba Education, Citizenship and Youth. (In development). *Senior 1 and Senior 2 physical education/health education: A foundation for implementation*. Winnipeg, MB: Manitoba Education, Citizenship and Youth.
- Manitoba Education, Training and Youth. (2001). *Kindergarten to Grade 4 physical education/health education: A foundation for implementation*. Winnipeg, MB: Manitoba Education, Training and Youth.
- McSwegin, P.J., Plowman, S.A., Wolff, G.M., & Guttenberg, G.L. (1998). The validity of a one-mile walk test for high school age individuals. *Measurement in Physical Education and Exercise Science*, 2 (1), 47-63.
- National Center for Chronic Disease Prevention and Health Promotion. Centers for Disease Control and Prevention. (1997). Guidelines for school and community programs to promote lifelong physical activity among young people. *Journal of School Health*, 67 (6), 202-219.
- Ogden, C.L., Flegal, K.M., Carroll, M.D., & Johnson, C.L. (2002). Prevalence and trends in overweight among US children and adolescents. *Journal of the American Medical Association*, 288 (14), 1728-1732.
- Pangrazi, R.P., & Corbin, C.B. (2001). Factors that influence physical fitness in children and adolescents. In G. Welk, J. Morrow, & H. Falls (Eds.), *FITNESSGRAM reference guide* (pp. 28-36). Dallas, TX: The Cooper Institute for Aerobics Research.
- Pate, R.R., Dowda, M., & Ross, J.G. (1990). Association between physical activity and physical fitness in American children. *American Journal of Diseases of Children*, 144, 1123-1129.
- Payne, V., & Morrow, J. (1993). Exercise and VO₂max in children: A meta-analysis. *Research Quarterly for Exercise and Sport*, 64 (3), 305-313.
- Plowman, S.A. (1992). Criterion referenced standards for neuromuscular physical fitness tests: An analysis. *Pediatric Exercise Science*, 4, 10-19.
- Rainey, D.L., & Murray, T.D. (1997). *Foundations of personal fitness: Teacher's wraparound edition: Any body can... be fit!* St. Paul, MN: West Publishing Company.

- Ratliffe, T. (2002). Strategies for teaching fitness. *Teaching Elementary Physical Education*, 13 (3), 13-16.
- Reilly, J.J., Dorosty, A.R., & Emmett, P.M. (1999). Prevalence of overweight and obesity in British children: Cohort study. *British Medical Journal*, 319, 1039.
- Rowland, T. (1992). Trainability of the cardiorespiratory system during childhood. *Canadian Journal of Sport Sciences*, 17 (4), 259-263.
- Sallis, J.F. (1994, August). Influences on physical activity of children, adolescents, and adults. *President's Council on Physical Fitness and Sport Research Digest*, 1 (7).
- Shephard, R.J. (1997). Assessing physiological responses to training in young children. *British Journal of Sports Medicine*, 31 (2), 159-161.
- Stedman's concise medical dictionary for the health professions* (4th ed.). (2001). Philadelphia, PA: Lippincott Williams & Wilkins.
- Stirling, J., & Belk, L. (2002). Effective teaching, quality physical education and the New Zealand curriculum. *Journal of Physical Education New Zealand*, 35 (1), 69-75.
- Strand, B., Scantling, E., & Johnson, M. (1998). Preparing preservice physical educators to teach a concepts-based fitness course. *JOPERD: The Journal of Physical Education, Recreation and Dance*, 69 (3), 57-61.
- Thomson, R. (2000). Physical activity through sport and leisure: Traditional versus non-competitive activities. *Journal of Physical Education New Zealand*, 33 (1), 34-39.
- Tremblay, M.S., & Willms, J.D. (2000). Secular trends in the body mass index of Canadian children. *Canadian Medical Association Journal*, 163 (11), 1429-1433.
- Twisk, J.W.R. (2001). Physical activity guidelines for children and adolescents: A critical review. *Sports Medicine*, 31 (8), 617-627.
- U.S. Department of Health and Human Services. (1996). *Physical activity and health: A report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.
- Vail, K. (1999). Fit for life. *American School Board Journal*, 186 (8), 31-33.
- Virgilio, S.J. (1997). *Fitness education for children: A team approach*. Champaign, IL: Human Kinetics.
- Weiss, M.R. (2000, September). Motivating kids in physical activity. *President's Council on Physical Fitness and Sport Research Digest*, 3 (11).

Notes



Printed in Canada
Imprimé au Canada